

Tokens - Mailing Label

Token Name	Data	Notes
<<PracticeName>>	Practice Name	
<<Title>>	Title	
<<FirstName>>	First Name	
<<LastName>>	Surname	
<<MailingAdd1>>	Location Address 1	
<<MailingAdd2>>	Location Address 2	
<<MailingAdd3>>	Location Address 3	

Tokens - Documents & Letters

Token Name	Data	Notes
<<DocFullName>>	Doctor Full Name	eg. SMITH, John
<<DocFirstname>>	Doctor First Name	eg. John
<<DocSurname>>	Doctor Second Initial	eg. SMITH
<<DocTitle>>	Doctor Title	
<<DocID>>	Doctor ID	
<<DocAdd1>>	Doctor Address 1	
<<DocAdd2>>	If Address Line 2 is empty, this will show Suburb State Postcode otherwise it will show Address Line 2	
<<DocAdd3>>	If Address Line 2 is empty, this will show nothing otherwise it will show Suburb State Postcode	
<<DocSuburb>>	Doctor Suburb	UPPERCASE
<<DocState>>	Doctor State	UPPERCASE
<<DocPC>>	Doctor Post Code	
<<DocMob>>	Doctor Mobile	9999 999 999
<<DocPh>>	Doctor Phone	99 9999 9999
<<DocFax>>	Doctor Fax	99 9999 9999
<<DocEmail>>	Doctor Email	

<<DocQualif>>	Doctor Qualification	
<<DocLoc>>	Doctor Location	
<<DocProv>>	Doctor Provider Number	
<<DocABN>>	Doctor ABN	
<<DocInvAs>>	Invoice As for Clinic	
<<DocAccName>>	Doctor Account Name	
<<DocBSB>>	Doctor BSB	
<<DocAccNum>>	Doctor Account Number	
<<DocBankAdd>>	Doctor Bank Address	
<<DocBank>>	Doctor Bank Name	
<<RefFullName>>	Referring Doctor Full Name	eg. SMITH, John
<<RefFirstName>>	Referring Doctor First Name	eg. John
<<RefSurname>>	Referring Doctor Surname	eg. SMITH
<<RefTitle>>	Referring Doctor Title	
<<RefID>>	Referring Doctor ID	
<<RefPractice>>	Referring Doctor Practice	
<<RefPracId>>	Referring Doctor Practice ID	
<<RefAdd1>>	Referring Doctor Address 1	
	If Address Line 2 is empty, this will show Suburb State	
<<RefAdd2>>	Postcode	
	otherwise it will show Address Line 2	
	If Address Line 2 is empty, this will show Suburb State	
<<RefAdd3>>	Postcode	
	otherwise it will show Address Line 2	
<<RefSuburb>>	Referring Doctor Suburb	UPPERCASE
<<RefState>>	Referring Doctor State	UPPERCASE
<<RefPC>>	Referring Doctor Postcode	
<<RefMob>>	Referring Doctor Mobile	9999 999 999
<<RefPh>>	Referring Doctor Phone	99 9999 9999
<<RefFax>>	Referring Doctor Fax	99 9999 9999
<<RefEmail>>	Referring Doctor Email	
<<RefQualif>>	Referring Doctor Qualification	
<<RefSpecID>>	Referring Dr Speciality ID	
<<RefSpec>>	Referring Dr Speciality Description	
<<RefLoc>>	Referring Doctor Location	
<<RefProv>>	Referring Doctor Provider Number	

Tokens - OEC

Token Name	Data	Notes
<<mrn>>	Patient Medical Record Number	
<<firstname>>	Patient First Name	
<<initial>>	Patient Second Initial	
<<lastname>>	Patient Family Name	
<<dob>>	Patient Date of Birth	dd/mm/yyyy
<<sex>>	Patient Gender	1 - Male 2 - Female
<<SexDesc>>	Patient Gender Description	
<<AdmNum>>	Admission Number	
<<Fund>>	Fund Code	
<<Membership>>	Membership Number	
<<UPI>>	Fund UPI	
<<Facility>>	Facility Provider Number	
<<Accind>>	Accident Indicator	
<<AccDate>>	Accident Date	dd/mm/yyyy
<<AdmDate>>	Admission Date	dd/mm/yyyy
<<DisDate>>	Discharge Date	dd/mm/yyyy
<<SDInd>>	Same Day Indicator	
<<LOS>>	Length of Stay	
<<OECCode>>	Presenting Illness Code	
<<OECCDesc>>	Presenting Illness Description	
<<OECItem>>	Presenting Illness Item Number	
<<OECIDesc>>	Presenting Illness Item Description	
<<EAInd>>	Emergency Admission Indicator	
<<ComInd>>	Compensation Claim Indicator	
<<PEAInd>>	Pre-existing ailment Request Indicator	
<<tranId>>	Transaction ID	
<<OECType>>	OEC Type	

<<ReqDate>>	Date Requested	dd/mm/yyyy
<<ReqTime>>	Time Requested	

Token Name	Data	Notes
<<OECID>>	Account Reference ID	
<<AssCde>>	Claim Fund Assessment Code	A = Accepted
<<FinSts>>	Financial Status	Y = Financial
<<FundRef>>	Fund Reference ID	
<<FundSts>>	Fund Status Code	
<<FundStsText>>	Fund Status Text	
<<MedSts>>	Medicare Status Code	
<<MedStsText>>	Medicare Status Text	
<<PEA>>	Pre-existing Ailment Potential Indicator	
<<ProcessSts>>	Process Status Code	
<<CoPay>>	CoPayment Amount	
<<CoDesc>>	CoPayment Days Remaining	
<<CoRem>>	CoPayment Description	
<<Exc>>	Excess Amount	
<<ExcDesc>>	Excess Amount Description	
<<ExcBonus>>	Excess Bonus Amount	
<<BenLim>>	Benefit Limitations	
<<Exclusion>>	Exclusion Description	
<<TableName>>	Table Name	
<<TableDesc>>	Table Description	
<<TableScale>>	Table Scale	
<<ClaimExp>>	Response back from the Fund	

Item Section for OEC

Token Name	Data	Notes
ID	Id	

Type	Type Code
TypeDesc	Type Description
Code	Code
Charge	Charge Amount
DOS	Date Of Service dd/mm/yyyy
MBSRate	Schedule Fee
HFCCode	Service Fund Assessment Code
HFAMt	Fund Benefit Amount
MedCode	Medicare Explanation Code
MedText	Medicare Explanation Text
MedAmt	Medicare Benefit Amount

[Tokens - Informed Financial Consent \(IFC Hospital\)](#)

Location of IFC

Token Name	Data	Notes
<<IFCLocId>>	Location	e.g. 1, 2
<<IFCLoc>>	Location	e.g. ACSS Private Hospital
<<IFCLocAdd1>>	Location Address Line 1	
<<IFCLocAdd2>>	Location Address Line 2	
<<IFCLocSuburb>>	Location Suburb	e.g. BONDI
<<IFCLocState>>	Location State	e.g. NSW
<<IFCLocPostcode>>	Location Postcode	
<<IFCLocPhone>>	Location Phone	e.g. 02 1234 5678
<<IFCLocFax>>	Location Fax	e.g. 02 1234 5678
<<IFCLocEmail>>	Location Email Address	
<<IFCLocAbn>>	Location ABN	
<<IFCLocACN>>	Location ACN	
<<IFCLocBSB>>	Location BSB	
<<IFCLocAccNo>>	Location Account Number	
<<IFCLocAccName>>	Location Account Name	
<<IFCLocProvNo>>	Location Provider Number	
<<IFCUser>>	Name of User Generating the IFC	
<<IFCUserFN>>	First Name of User Generating the IFC	
<<IFCUserI>>	Initials of User Generating the IFC	

Patient Fields

Token Name	Data	Notes
<<IFCPatFullName>>	Patient name	
<<IFCPatFname>>	Patient First Name	
<<IFCPatLname>>	Patient Surname	
<<IFCPatTitle>>	Patient Title	
<<IFCMRN>>	Patient MRN	
<<IFCFileNum>>	Patient File Number	
<<IFCDOB>>	Patient date of birth	
<<IFCSexID>>	Patient gender	e.g. M, F in db, 1 = M etc
<<IFCSex>>	Patient gender	e.g. Male, Female
<<IFCMed>>	Patient Medicare Number	
<<IFCMedRef>>	Patient Medicare Reference	
<<IFCAdd1>>	Patient Address Line 1	
<<IFCAdd2>>	Patient Address Line 2	
<<IFCSuburb>>	Patient Suburb	
<<IFCState>>	Patient State	
<<IFCPC>>	Patient Postcode	
<<IFCMobile>>	Patient Mobile	format 9999 999 999
<<IFCPhoneH>>	Patient Phone Home	format 02 9999 9999
<<IFCPhoneW>>	Patient Home Work	format 02 9999 9999
<<IFCPatEmail>>	Patient Email	

Episode Fields

Token Name	Data	Notes
<<IFCAdmDate>>	Admission date	
<<IFCAdmDayF>>	Admission day - Full name	e.g. Monday
<<IFCAdmDayS>>	Admission Day - Short name	e.g. Mon
<<IFCDisDate>>	Discharge date	
<<IFCPatCat>>	Patient Category	Shows 'Day Only' or 'Inpatient' depending on the discharge date
<<IFCAnaID>>	Anaesthetic type	e.g. N, I
<<IFCAna>>	Anaesthetic type	e.g. None, IV/Sedation
<<IFCStatusID>>	Insurance status	E.g. F, B
<<IFCStatus>>	Insurance status	e.g. Full Fee, Basic fee
<<IFCFundtable>>	Fund Table	
<<IFCFundVer>>	Fund Verification	
<<IFCDJ>>	Fund date joined	Dd/mm/yyyy
<<IFCMins>>	Minutes in theatre	e.g. 999

<<IFCFundName>>	Fund	e.g. Medibank
<<IFCFundNo>>	Membership number	
<<IFCFundId>>	Fund ID	e.g. 1
<<IFCFund>>	Fund	e.g. MBP
<<IFCExcess>>	Excess amount	Currency e.g. 999,999,999.99
<<IFCcopay>>	Co-payment amount	Currency e.g. 999,999,999.99
<<IFCUninsured>>	Uninsured amount	Currency e.g. 999,999,999.99
<<IFCDefben>>	Default Benefit	Currency e.g. 999,999,999.99
<<IFCAccom>>	Accommodation	e.g. Accom - Medical
<<IFCAccomID>>	Accommodation	e.g. 1, 2
<<IFCRoomID>>	Room type	e.g. S, P convert 1 to S, 2 to P
<<IFCRoom>>	Room Type	e.g. Shared, Private
<<IFCPDis>>	Proposed Discharge Date	only applicable if overnight i.e. Inpatient
<<IFCN>>	Number of Nights	only applicable if overnight i.e. Inpatient
<<IFCProcNote>>	Procedure Note	

Doctor and Anaesthetist Fields

Token Name	Data	Notes
<<IFCDocID>>	Doctor/Surgeon ID	e.g. 1, 2
<<IFCDoc>>	Doctor Full Name	e.g. Michelle ROMERO
<<IFCDocFirstN>>	Doctor First Name	e.g. Michelle
<<IFCDocLastN>>	Doctor Last Name	e.g. ROMERO
<<IFCDocTitle>>	Doctor Title	e.g. Dr
<<IFCDocProvNo>>	Doctor Provider Number	e.g. 123456AF
<<IFCDocSpecID>>	Doctor Specialty ID	e.g. 1,2
<<IFCDocSpec>>	Doctor Specialty	e.g. Radiology
<<IFCDocPh>>	Doctor Phone	format 99 9999 9999
<<IFCDocFax>>	Doctor Fax	format 99 9999 9999
<<IFCDocMob>>	Doctor Mobile	format 9999 999 999
<<IFCAnaDrID>>	Anaesthetist ID	e.g. 1, 2
<<IFCAnaFN>>	Anaesthetist Full Name	e.g. Michelle ROMERO
<<IFCAnaFirstN>>	Anaesthetist First Name	e.g. Michelle
<<IFCAnaLastN>>	Anaesthetist Last Name	e.g. ROMERO
<<IFCAnaTitle>>	Anaesthetist Title	e.g. Dr
<<IFCAnaProvNo>>	Anaesthetist Provide Number	e.g. 123456AF
<<IFCAnaSpecID>>	Anaesthetist Specialty ID	e.g. 1,2
<<IFCAnaSpec>>	Anaesthetist Specialty	e.g. Anaesthetics
<<IFCAnaPh>>	Anaesthetist Phone	format 99 9999 9999
<<IFCAnaFax>>	Anaesthetist Fax	format 99 9999 9999

<<IFCAnaMob>> Anaesthetist Mobile format 9999 999 999

Subtotal Charges

Token Name	Data	Notes
<<IFCNotes>>	Notes from review screen	
<<IFCBursaryL>>	Bursary Level	
<<IFCDisc>>	Discount as a percentage	
<<IFCDiscAmt>>	Discount as a dollar value	
<<IFCSubTotalC>>	Sums all charges before any discount is applied	Currency e.g. 999,999,999.99
<<IFCAccomC>>	Sums all charges where csrvtpecode = A	Currency e.g. 999,999,999.99
<<IFCAccomR>>	Sums all rebates where csrvtpecode = A	Currency e.g. 999,999,999.99
<<IFCAccomB>>	Sums all Bursary where csrvtpecode = A	Currency e.g. 999,999,999.99
<<IFCAccomDif>>	Difference in Accommodation	Currency e.g. 999,999,999.99
<<IFCTheatreC>>	Sums all charges where csrvtpecode = T	Currency e.g. 999,999,999.99
<<IFCTheatreR>>	Sums all rebates where csrvtpecode = T	Currency e.g. 999,999,999.99
<<IFCTheatreB>>	Sums all bursary where csrvtpecode = T	Currency e.g. 999,999,999.99
<<IFCTheatDif>>	Difference in Theatre	Currency e.g. 999,999,999.99
<<IFCOtherC>>	Sums all charges where csrvtpecode = O	Currency e.g. 999,999,999.99
<<IFCOtherR>>	Sums all rebates where csrvtpecode = O	Currency e.g. 999,999,999.99
<<IFCOtherB>>	Sums all bursary where csrvtpecode= O	Currency e.g. 999,999,999.99
<<IFCOtherDif>>	Difference in Other	Currency e.g. 999,999,999.99
<<IFCBundledC>>	Sums all charges where csrvtpecode = C, R	Currency e.g. 999,999,999.99
<<IFCBundledR>>	Sums all rebates where csrvtpecode = C, R	Currency e.g. 999,999,999.99
<<IFCBundledB>>	Sums all bursary where csrvtpecode = C, R	Currency e.g. 999,999,999.99
<<IFCBundDif>>	Difference in Bundled Fees	Currency e.g. 999,999,999.99

Total Charges

Token Name	Data	tes
<<IFCTotalC>>	Sums all charges	Currency e.g. 999,999,999.99
<<IFCTotalR>>	Sums all rebates	Currency e.g. 999,999,999.99
<<IFCTotalB>>	Sums all bursary	Currency e.g. 999,999,999.99
<<IFCGap>>	Charges less rebate plus (excess + copay and default benefit)	Currency e.g. 999,999,999.99
<<IFCTotDif>>	Charges less rebate	Currency e.g. 999,999,999.99
<<IFCTotR2>>	Sum of all rebates less (excess + Copayment)	Currency e.g. 999,999,999.99

Grid Items

<<DateFrom>>	Date from
<<DateTo>>	Date to
<<Item>>	Item
<<Desc>>	Description
<<DescShort>>	Description, the first 50 characters only
<<Type>>	Type
<<Charge>>	Charge
<<GST>>	GST
<<Rebate>>	Rebate
<<Diff>>	Difference between Charge and Rebate
<<Band>>	Band
<<Qty>>	Quantity
<<BillTo>>	Bill to

Tokens - General

Token Name	Data	Notes
<<CurrentDate>>	Current Date	dd/mm/yyyy
<<LongDate>>	Long Date	dd Month yyyy e.g. 9 February 2021
<<Datename>>	Name of the Current Day	e.g. Monday
<<CurrentTime24h>>	Current Time in 24 hr	e.g. 13:30
<<CurrentTime12h>>	Current Time in 12 hr	e.g 1:15 PM
<<PrintedBy>>	Name of user that printed document	

Tokens - Statement (Hospital)

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99

S
u
m
m
a
r
y
o
f
t
h
e
t
r
a
n
s
a
c
t
i
o
n
l
i
n
e
s
w
h
e
r
e
t
h
e
t
y
p
e
(
c
s
r
v
c
o
d
e
t
y
p
e
)
=
A
,
T
,
C
,
R
,
O
&
S
t
a
t
e
m
e
n
t
t
o
t
a
l
&
&

Shows the current page .gif
The statement needs to be
K6
The page
Pages
it prints
Which page it is .gif
could be page 2 of 4

[Tokens - Invoice \(Hospital\)](#)

Location of Invoice

Token Name	Data	Notes
<<InvLocId>>	Location ID	
<<InvLocName>>	Location Name	
<<InvLocAdd1>>	Location Address Line 1	
<<InvLocAdd2>>	Location Address Line 2	
<<InvLocSuburb>>	Location Suburb	e.g. BONDI
<<InvLocState>>	Location State	e.g. NSW
<<InvLocPostcode>>	Location Postcode	
<<InvLocPhone>>	Location Phone	e.g. 02 1234 5678
<<InvLocFax>>	Location Fax	e.g. 02 1234 5678
<<InvLocEmail>>	Location Email Address	
<<InvLocAbn>>	Location ABN	
<<InvLocACN>>	Location ACN	
<<InvLocBSB>>	Location BSB	
<<InvLocAccNo>>	Location Account Number	
<<InvLocAccName>>	Location Account Name	

<<InvLocProvNo>> Location Provider Number

Invoice Particulars

Token Name	Data	Notes
<<InvLabel>>	Invoice Type	e .g. Tax Invoice, Receipt
<<InvMessage>>	Invoice Message	
<<InvPage>>	Current Page	Shows the current page e.g. if the invoice needs to be a total of 4 pages, it prints which page it is e.g. could be page 2 of 4
<<InvTotPages>>	Total Pages	
<<InvAccountingPer>>	Date of Transaction	Reflects the Accounting Period Date for the invoice, or payment if not invoiced.

Bill To

Token Name	Data	Notes
<<InvBillTo>>	Biller Name	
<<InvBillToAdd1>>	Biller Address Line 1	
<<InvBillToAdd2>>	Biller Address Line 2	
<<InvBillToAdd3>>	Biller Address Line 3	

Patient ID and Invoice Number

Token Name	Data	Notes
<<InvMRN>>	MRN	
<<InvNo>>	Invoice Number	
<<InvEpi>>	Episode ID	
<<InvAdmNum>>	Admission Number	

Invoice Grid

Token Name	Data	Notes
<<InvCodeType>>	Transaction Type	e.g. A - Accommodation T - Theatre R - DRG C - Casemix O - Other Services D - Deposits P - Payments J - Adjustments

<<InvCode>>	Item	
<<InvDesc>>	Item Description	
<<InvDescShort>>	Item Description	first 50 characters only
<<invBand>>	Band	
<<InvDOS>>	Date of Service	dd/mm/yyyy
<<InvDST>>	Date of Service To	dd/mm/yyyy
<<InvDOT>>	Accounting Period Date	dd/mm/yyyy
<<InvAudit>>	Audit Date	dd/mm/yyyy
<<InvQty>>	Quantity	
<<InvGst>>	GST	
<<InvAmt>>	Charge	
<<InvAmtExGst>>	Amount Excluding GST	

Doctor Invoiced

Token Name	Data	Notes
<<InvDocID>>	Doctor ID	
<<InvDocFullname>>	Doctor Full Name	e.g. CITIZEN, John
<<InvDocFirstname>>	Doctor First Name	
<<InvDocSurname>>	Doctor Surname	e.g. CITIZEN
<<InvDocTitle>>	Doctor Ttitle	
<<InvDocProviderNum>>	Doctor Provider Number	

Health Fund Invoiced

Token Name	Data	Notes
<<InvFundID>>	Health Fund ID	This is the unique ID for the health fund in the database
<<InvFund>>	Health Fund Code	e.g. HBF
<<InvFundName>>	Health Fund Name	e.g Health Benefits Fund
<<InvFundNo>>	Health Fund Membership Number	

Total Charges/Balances

Token Name	Data	Notes
<<TotCharges>>	Sum of all Charges	Sum all transaction lines where the transaction type (csrvcodetype) = A, T,C,R,O
<<TotDeposits>>	Sum of all Deposits	Sum all transaction lines where the transaction type (csrvcodetype) = D
<<TotPayments>>	Sum of all Payments	Sum all transaction lines where the transaction type (csrvcodetype) = P

<<TotAdjustments>>	Sum of all Adjustments	Sum all transaction lines where the transaction type (csrvcodetype) = J
<<TotGST>>	Sum of all GST	Sum of GST for all transaction lines where the transaction type (csrvcodetype) = A, T,C,R,O
<<InvCharExGst>>	Sum Excluding GST	Sum of all charges EXCLUDING GST
<<TotBalance>>	Balance Due	Balance due = InvCharges + InvDeposits + InvPayments + InvAdjustments

BPAY

Token Name	Data	Notes
<<BPAYsb>>	Sub biller	This is something BPAY will give the organisation
<<BPAYISC>>	Internal code	This is something BPAY will give the organisation
<<BPAYref>>	BPAY reference	You can choose between the MRN or the invoice. This can be set from Settings > Locations

Item Numbers - Theatre Screen

Token Name	Data	Notes
<<mbscode1>>	MBS Item Number	Item number 1 through to 20
<<mbscode20>>		
<<mbsdesc1>>	MBS Item Number Full Description	Item number 1 through to 20
<<mbsdesc20>>		
<<mbsdescs1>>	MBS Item Number Short Description	Item number 1 through to 20
<<mbsdescs20>>		

[Tokens - Patient](#)

These tokens apply throughout the entire system, for use in templates, to obtain information from the Patient Screen.

Token Name	Data	Notes
<<patMRN>>	MRN	
<<patTitle>>	Title	
<<patFirstN>>	First Name	
<<patMInitial>>	Middle Initial	
<<patPrefN>>	Preferred Name	
<<patLastN>>	Surname (Capitals)	e.g. CITIZEN
<<patLastN2>>	Surname (Lower Case)	e.g. Citizen
<<patFullname>>	First Name + Surname	e.g. John CITIZEN
<<patGender>>	Sex	e.g. M, F
<<patGenderID>>	Sex ID	1 - Male, 2 - Female

<<patGenderDesc>>	Sex Description	e.g. Male, Female, Intersex
<<patPronoun>>	Pronouns	
<<patDOB>>	Date of Birth	dd/mm/yyyy
<<patAge>>	Age	if under 1 year, then will show in months
<<patExtId>>	External ID	
<<patFileNum>>	File Number	
<<patMDID>>	MDID	
<<patadd1>>	Address Line 1	
<<patadd2>>	Address Line 2	
<<patSuburb>>	Suburb	e.g. BONDI
<<patState>>	State	e.g. NSW
<<patZIP>>	Postcode	
<<patPhoneH>>	Phone (Home)	e.g. 02 1234 5678
<<patPhoneW>>	Phone (Work)	e.g. 02 1234 5678
<<patMobile>>	Mobile	e.g. 0415 123 123
<<patEmail>>	Email Address	

Health Fund Details

	Data	Notes
<<patFundID>>	Health Fund ID	This is the unique for the health fund in the database
<<patFund>>	Health Fund Code	e.g. HBF
<<patFundDesc>>	Health Fund Name	e.g Health Benefits Fund
<<patFundMembership>>	Health Fund Membership Number	
<<patFundUPI>>	Health Fund Universal Position Number (UPI)	
<<patFundInsSts>>	Insurance Status ID	
<<patFundInsStsDesc>>	Insurance Status	
<<patFundAliasFirstN>>	Health Fund Alias First Name	
<<patFundAliasLastN>>	Health Fund Alias Surname	e.g. CITIZEN

Medicare/DVA/Other Card Details

Token Name	Data	Notes
<<patMedNo>>	Medicare Number	e.g. 2111-11111-1
<<patMedRef>>	Medicare Issue Number	
<<patMedExp>>	Medicare Expiry	e.g. mm/yyyy
<<patMedElig >>	Medicare Eligibility ID	
<<patMedEligDesc>>	Medicare Eligibility	
<<patDVA>>	DVA Card Number	

<<patDVAColourID>>	DVA Card Colour ID	e.g. W, G
<<patDVAColour>>	VA Card Colour	e.g. White, Gold
<<patDVAAuthNo>>	DVA Authorisation Number	
<<patDVAAuthDate>>	DVA Authorisation Date	dd/mm/yyyy
<<patConcession>>	Concession Card	
<<patConExp>>	Concession Card Expiry	mm/yyyy
<<patPension>>	Pension Card	
<<patPenExp>>	Pension Card Expiry	mm/yyyy
<<patSafetyNet>>	Safety Net Card	
<<patSafetyExp>>	Safety Net Card Expiry	mm/yyyy
<<patAmbul>>	Ambulance Card	
<<patAmbExp>>	Ambulance Card Expiry	mm/yyyy

Other Patient Info

Token Name	Data	Notes
<<patIndigID>>	Indigenous Status ID	
<<patIndig>>	Indigenous Status	
<<patMaritalID>>	Marital Status ID	
<<patMarital>>	Marital Status	
<<patLanguageID>>	Language Spoken at Home ID	
<<patLanguage>>	Language Spoken at Home	
<<patCountryID>>	Country of Birth ID	
<<patCountry>>	Country of Birth	
<<patEmpStsID>>	Employment Status ID	
<<patEmpSts>>	Employment Status	
<<patOccupation>>	Occupation	
<<patReligion>>	Religion	
<<patReligionID>>	Religion ID	
<<patAllergy>>	Allergies	
<<patAllergyFlag>>	Allergy	This will show the word Allergy, rather than the actual allergies
<<patAlert>>	Alert	
<<patDocAlert>>	Document Alert	
<<patOSvisitor>>	Overseas Visitor Answer	e.g. Yes or No
<<patOSvisitorID>>	OverseasVisitor Answer ID	e.g. 1 or 0
<<patOSVisitorCountryID>>	Overseas Visitor Country ID	
<<patOSVisitorCountry>>	Overseas Visitor Country	
<<patInterpreter>>	Interpreter Required Answer	e.g. Yes or No
<<patInterpreterID>>	Interpreter Required Answer ID	e.g. 1 or 0
<<patInterpreterLangID>>	Interpreter Language ID	
<<patInterpreterLang>>	Interpreter Language	
<<patDeceased>>	Deceased date	dd/mm/yyyy

<<patNote>>	Notes	
<<patLastEpi>>	Lists Patients Last Episode	
<<PatPrevEpi>>	Previous Episode Indicator	e.g. Y (Yes) or N (No)

Mailing Address

Token Name	Data	Notes
<<patMailadd1>>	Mailing Address Line 1	
<<patMailadd2>>	Mailing Address Line 2	
<<patMailSuburb>>	Mailing Address Suburb	e.g. BONDI
<<patMailState>>	Mailing Address State	e.g. NSW
<<patMailZIP>>	Mailing Address Postcode	

Referring Doctor

Token Name	Data	Notes
<<patRefID>>	Referring Doctor ID	
<<patRef>>	Referring Doctor Full Name	e .g. CITIZEN, John
<<patRefTitle>>	Referring Doctor Title	
<<patRefFirstn>>	Referring Doctor First Name	
<<patRefLastn>>	Referring Doctor Surname	e.g. CITIZEN
<<patRefProv>>	Referring Doctor Provider Number	
<<patRefSpecID>>	Referring Doctor Speciality ID	
<<patRefSpec>>	Referring Doctor Speciality	
<<patRefDate>>	Referral Date	dd/mm/yyyy
<<patRefPeriod>>	Referral Period	
<<patRefFV>>	Referral First Consult/Visit	dd/mm/yyyy
<<patRefPract>>	Referring Doctor Practice Name	
<<patRefAdd1>>	Referring Doctor Address Line 1	
<<patRefAdd2>>	Referring Doctor Address Line 2 / Suburb State Postcode	This token will work out if the Referring Doctor has characters in address line 2. If it doesn't it will put the suburb + state + postcode.
<<patRefAdd3>>	Referring Doctor Address Line 2 / Suburb State Postcode	This token will work out if the Referring Doctor has characters in address line 2. If it doesn't it will keep this token empty.
<<patRefSuburb>>	Referring Doctor Suburb	
<<patRefState>>	Referring Doctor State	
<<patRefPC>>	Referring Doctor Postcode	

<<patRefP>>	Referring Doctor Phone	99 9999 9999
<<patRefF>>	Referring Doctor Fax	99 9999 9999
<<patRefEmail>>	Referring Doctor Email	

GP / Family Doctor

Token Name	Data	Notes
<<patGPID>>	GP ID	e.g. this is the unique Id in the database
<<patGPTitle>>	GP Title	
<<patGPFullname>>	GP Full Name	e.g. CITIZEN, John
<<patGPFirstname>>	GP First Name	
<<patGPSurname>>	GP Surname	e.g. CITIZEN
<<patGPSpec>>	GP Speciality	
<<patGPSpecID>>	GP Speciality ID	
<<patGPProvNo>>	GP Provider Number	
<<patGPPract>>	GP Practice Name	
<<patGPAdd1>>	GP Address Line 1	
<<patGPAdd2>>	GP Address Line 2 / Suburb State Postcode	This token will work out if the GP has characters in address line 2. If it doesn't it will put the suburb + state + postcode.
<<patGPAdd3>>	GP Address Line 2 / Suburb State Postcode	This token will work out if the GP has characters in address line 2. If it doesn't it will keep this token empty.
<<patGPSuburb>>	GP Suburb	
<<patGPState>>	GP State	
<<patGPPC>>	GP Postcode	
<<patGPPhone>>	GP Phone	99 9999 9999
<<patGPFax>>	GP Fax	99 9999 9999
<<patGPEmail>>	GP Email	

Next of Kin

Token Name	Data	Notes
<<NOKTitle>>	Next of Kin Title	
<<NOKfirstn>>	Next of Kin First Name	
<<NOKlastn>>	Next of Kin Surname	e.g. CITIZEN
<<NOKrelation>>	Next of Kin Relationship	
<<NOKadd1>>	Next of Kin Address Line 1	
<<NOKadd2>>	Next of Kin Address Line 2	
<<NOKSuburb>>	Next of Kin Suburb	e.g. BONDI
<<NOKState>>	Next of Kin State	e.g. NSW
<<NOKPostcode>>	Next of Kin Postcode	

<<NOKPhoneH>> Next of Kin Phone (Home) e.g. 02 1234 5678
 <<NOKPhoneW>> Next of Kin Phone (Work) e.g. 02 1234 5678
 <<NOKMobile>> Next of Kin Mobile e.g. 0415 123 123

Emergency Contact

Token Name	Data	Notes
<<ECTitle>>	Emergency Contact Title	
<<ECfirstn>>	Emergency Contact First Name	
<<EClastn>>	Emergency Contact Surname	e.g. CITIZEN
<<ECrelation>>	Emergency Contact Relationship	
<<ECadd1>>	Emergency Contact Address Line 1	
<<ECadd2>>	Emergency Contact Address Line 2	
<<ECSuburb>>	Emergency Contact Suburb	e.g. BONDI
<<ECState>>	Emergency Contact State	e.g. NSW
<<ECPostcode>>	Emergency Contact Postcode	
<<ECPhoneH>>	Emergency Contact Phone (Home)	e.g. 02 1234 5678
<<ECPhoneW>>	Emergency Contact Phone (Work)	e.g. 02 1234 5678
<<ECMobile>>	Emergency Contact Mobile	e.g. 0415 123 123

Contributor

Token Name	Data	Notes
<<ContTitle>>	Contributor Title	
<<ContFirstn>>	Contributor First Name	
<<ContLastn>>	Contributor Surname	e.g. CITIZEN
<<ContRelation>>	Contributor Relationship	
<<ContAdd1>>	Contributor Address Line 1	
<<ContAdd2>>	Contributor Address Line 2	
<<ContSuburb>>	Contributor Suburb	e.g. BONDI
<<ContState>>	Contributor State	e.g. NSW
<<ContPostcode>>	Contributor Postcode	
<<ContPhoneH>>	Contributor Phone (Home)	e.g. 02 1234 5678
<<ContPhoneW>>	Contributor Phone (Work)	e.g. 02 1234 5678
<<ContMobile>>	Contributor Mobile	e.g. 0415 123 123

Pick Up Person

Token Name	Data	Notes
<<PUfirstn>>	Pickup Up Person First Name	
<<PUlastn>>	Pickup Up Person Surname	e.g. CITIZEN

<<PUrelation>>	Pickup Up Person Relationship	
<<PUPemail>>	Pickup Up Person Email	
<<PUphoneh>>	Pickup Up Person (Home)	e.g. 02 1234 5678
<<PUphonew>>	Pickup Up Person (Work)	e.g. 02 1234 5678
<<PUMobile>>	Pickup Up Person Mobile	e.g. 0415 123 123

Tokens - Hospital

Token Name	Data	Notes
<<EpLocId>>	Location ID	
<<EpLoc>>	Location Name	
<<EpProv>>	Location Provider Number	
<<EpLocAdd1>>	Location Address 1	
<<EpLocAdd2>>	Location Address 2	
<<EpLocSub>>	Location Suburb	
<<EplocState>>	Location State	
<<EpLocZip>>	Location Postcode	
<<EpPhone>>	Location Phone	99 9999 9999
<<EpFax>>	Location Fax	99 9999 9999
<<EpLocEmail>>	Location Email	
<<EpLocAccName>>	Location Bank Account Name	
<<EpLocBSB>>	Location BSB	
<<EpLocAccNum>>	Location Bank Account Number	
<<EpLocBank>>	Location Bank Name	
<<EpLocBankAdd>>	Location Bank Address	

Theatre List Details

Token Name	Data	Notes
<<EpTheatreId>>	Theatre ID	
<<EpTheatre>>	Theatre Name	
<<EpSessTimes>>	Surgeon Session Times	Surgeon Theatre Booking from and to time
<<EpSessShort>>	Surgeon Session Times - just the start time	
<<EpSessNote>>	Session Note	
<<EpSessAppNote>>	Session Appointment Note	

Admitting Doctors Details

Token Name	Data	Notes
<<EpDocId>>	Doctor ID	
<<EpDoc>>	Doctor Full Name	e.g CITIZEN, John

<<EpDocFirstN>>	Doctor First Name	
<<EpDocI>>	Doctor First Name Initial	
<<EpDocLastN>>	Doctor Surname	e.g. CITIZEN
<<EpDocFI>>	Doctors Initials	e.g. JC
<<EpDocTitle>>	Doctor Title	
<<EpDocProvNo>>	Doctor Provider Number	
<<EpDocQualif>>	Doctor Qualification	
<<EpDocSpecID>>	Doctor Speciality ID	
<<EpDocSpec>>	Doctor Speciality	
<<EpDocAdd1>>	Doctor Address Line 1	
<<EpDocAdd2>>	Doctor Address Line 2	
<<EpDocSuburb>>	Doctor Suburb	
<<EpDocPC>>	Doctor Postcode	
<<EpDocState>>	Doctor State	
<<EpDocMob>>	Doctor Mobile	0415 999 999
<<EpDocEmail>>	Doctor Email	
<<EpDocPh>>	Doctor Phone	99 9999 9999
<<EpDocFax>>	Doctor Fax	99 9999 9999

Anaesthetist Details

Token Name	Data	Notes
<<EpAnaId>>	Anaesthetist ID	
<<EpAna>>	Anaesthetist Full Name	e.g. CITIZEN, John
<<EpAnaFirstN>>	Anaesthetist First Name	
<<EpAnaI>>	Anaesthetist First Name Initial	
<<EpAnaLastN>>	Anaesthetist Surname	
<<EpAnaFI>>	Anaesthetist Initials	e.g. JC
<<EpAnaTitle>>	Anaesthetist Title	
<<EpAnaProvNo>>	Anaesthetist Provider Number	
<<EpAnaSpecID>>	Anaesthetist Speciality ID	
<<EpAnaSpec>>	Anaesthetist Speciality	
<<EpAnaAdd1>>	Anaesthetist Address Line 1	
<<EpAnaAdd2>>	Anaesthetist Address Line 2	
<<EpAnaSuburb>>	Anaesthetist Suburb	
<<EpAnaPC>>	Anaesthetist Postcode	
<<EpAnaState>>	Anaesthetist State	
<<EpAnaMob>>	Anaesthetist Mobile	0415 999 999
<<EpAnaEmail>>	Anaesthetist Email	
<<EpAnaPh>>	Anaesthetist Phone	99 9999 9999
<<EpAnaFax>>	Anaesthetist Fax	99 9999 9999

Episode Appointment Details

Token Name	Data	Notes
-------------------	-------------	--------------

<<EpMRN>>	MRN	
<<EpNo>>	Episode ID	
<<Seq>>	Sequential number for each episode on the theatre list	
<<Date>>	Appointment Date	dd/mm/yyyy Is the same as the admission date
<<EpAdmDate>>	Admission Date	
<<EpDayS>>	Admission Name of Day - Short	e.g. Mon
<<EpDayL>>	Admission Name of Day	e.g. Monday
<<EpMthS>>	Admission Name of Month - Short	e.g. Apr
<<EpMthL>>	Admission Name of Month	e.g. April
<<EpYear>>	Current Year	
<<EpDisDate>>	Discharge Date	
<<Time>>	Appointment Time	e.g 1315
<<Time12h>>	Appointment Time in 12 hr	e.g. 1:15 PM
<<Time24h>>	Appointment Time in 24 hr	e.g. 13:15
<<ATypeID>>	Appointment Type ID	
<<AType>>	Appointment Type	
<<Len>>	Appointment Length	
<<TimeA>>	Calculated Arrival Time	e.g 1315
<<TimeA12h>>	Calculated Arrival Time in 12 hr	e.g. 1:15 PM
<<TimeA24h>>	Calculated Arrival Time in 24 hr	e.g. 13:15
<<TimeP>>	Calculated Pickup Time	e.g 1315
<<TimeP12h>>	Calculated Pickup Time in 12 hr	e.g. 1:15 PM
<<TimeP24h>>	Calculated Pickup Time in 24 hr	e.g. 13:15
<<TimeFF>>	Calculated Fasting Time Food	e.g 1315
<<TimeFF12h>>	Calculated Fasting Time Food in 12 hr	e.g. 1:15 PM
<<TimeFF24h>>	Calculated Fasting Time Food in 24 hr	e.g. 13:15
<<TimeFW>>	Calculated Fasting Time Water	e.g 1315
<<TimeFW12h>>	Calculated Fasting Time Water in 12 hr	e.g. 1:15 PM
<<TimeFW24h>>	Calculated Fasting Time Water in 24 hr	e.g. 13:15
<<FFood12hA>>	Fasting Food - Prior to Booking Time in 12 hr	e.g. 1:15 PM
<<FFood24hA>>	Fasting Food - Prior to Booking Time in 24 hr	e.g. 13:15
<<FFluid12hA>>	Fasting Fluid - Prior to Booking Time in 12 hr	e.g. 1:15 PM
<<FFluid24hA>>	Fasting Fluid - Prior to Booking Time in 24 hr	e.g. 13:15
<<FFood12hB>>	Fasting Food - Prior to Planned Time in Theatre in 12 hr	e.g. 1:15 PM
<<FFood24hB>>	Fasting Food - Prior to Planned Time in Theatre in 24 hr	e.g. 13:15
<<FFluid12hB>>	Fasting Fluid - Prior to Planned Time in Theatre in 12 hr	e.g. 1:15 PM
<<FFluid24hB>>	Fasting Fluid - Prior to Planned Time in Theatre in 24 hr	e.g. 13:15
<<FFood12hC>>	Fasting Food - Prior to Procedure Time in 12 hr	e.g. 1:15 PM

<<FFood24hC>>	Fasting Food - Prior to Procedure Time in 24 hr	e.g. 13:15
<<FFluid12hC>>	Fasting Fluid - Prior to Procedure Time in 12 hr	e.g. 1:15 PM
<<FFluid24hC>>	Fasting Fluid - Prior to Procedure Time in 24 hr	e.g. 13:15
<<EpEstRS>>	Estimated Recovery Time Booking time + Length of Booking	e.g. 1315
<<EpEstRS12h>>	Estimated Recovery Time Booking time + Length of Booking	e.g. 1:15 PM
<<EpEstRS24h>>	Estimated Recovery Time Booking time + Length of Booking	e.g. 13:15
<<EpAdmNo>>	Admission Number	
<<Notes>>	Other Notes	
<<ProcNotes>>	Procedure Notes	
<<ProcNotes2>>	Procedure Notes from Inpatient Procedure Schedule	
<<Sess>>	Session	
<<Book1ID>>	Booking Code 1 ID	
<<Book1>>	Booking Code 1	
<<Book2ID>>	Booking Code 2 ID	
<<Book2>>	Booking Code 2	
<<PatCatID>>	Patient Category ID	e.g. I/P, D/O
<<PatCat>>	Patient Category	e.g. Inpatient, Day Only
<<Ana1ID>>	Anaesthetic Type 1 ID	e.g. L, R
<<Ana1>>	Anaesthetic Type 1	e.g. Local, Regional
<<Ana2ID>>	Anaesthetic Type 2 ID	e.g. L, R
<<Ana2>>	Anaesthetic Type 2	e.g. Local, Regional
<<EpAnaL>>	Local Anaesthetic	Shows as X if Anaesthetic Type 1
<<EpAnaN>>	No Anaesthetic	Shows as X if Anaesthetic Type 1
<<EpAnaIV>>	IV Sedation Anaesthetic	Shows as X if Anaesthetic Type 1
<<EpAnaR>>	Regional Anaesthetic	Shows as X if Anaesthetic Type 1
<<EpAnaG>>	General Anaesthetic	Shows as X if Anaesthetic Type 1
<<Food>>	Food Instructions	
<<PTime>>	Planned Time in Theatre	e.g. 1315
<<PTime12h>>	Planned Time in Theatre 12 hr	e.g. 1:15 PM
<<PTime24h>>	Planned Time in Theatre 24 hr	e.g. 13:15
<<ATime>>	Admission Time	e.g. 1315
<<ATime12h>>	Admission Time 12hr	e.g. 1:15 PM
<<ATime24h>>	Admission Time 24hr	e.g. 13:15
<<DTime>>	Discharge Time	e.g. 1315
<<DTime12h>>	Discharge Time 12hr	e.g. 1:15 PM
<<DTime24h>>	Discharge Time 24hr	e.g. 13:15
<<CanID>>	Cancelled Id	
<<Can>>	Cancelled	

<<ConID>>	Confirmed Id	
<<Con>>	Confirmed	
<<NHTP>>	Nursing Home Type Patient	
<<oecR>>	Check List - OEC Recieved	Y = ticked
<<oecC>>	Check List - OEC Checked	Y = ticked
<<IFC>>	Check List - IFC Completed	Y = ticked
<<AFR>>	Check List - Admission Form Received	Y = ticked
<<CR>>	Check List - Chart Ready	Y = ticked
<<ConR>>	Check List - Consent Received	Y = ticked
<<PreCon>>	Check List - Pre-Admission Contacted	Y = ticked
<<PostCon>>	Check List - Post-Discharge Contacted	Y = ticked

Inpatient Details

Token Name	Data	Notes
<<EpProDis>>	Proposed Discharge Date	
<<EpProN>>	Based on the proposed discharge date, number of nights	
<<EpWard>>	Current Ward	
<<EpBed>>	Current Bed	

Health Fund Details

Token Name	Data	Notes
<<EpFundID>>	Health Fund ID	This is the unique ID for the health fund in the database
<<EpFund>>	Health Fund Code	e.g. HBF
<<EpFundName>>	Health Fund Name	e.g Health Benefits Fund
<<EpFundNo>>	Health Fund Membership Number	
<<EpExcess>>	Excess Amount	
<<EpCoPay>>	Co Payment Amount	
<<EpUnAmt>>	Uninsured Amount	
<<EpExcessCo>>	Excess + Co Payment	
<<OOP>>	Total Out Of Pocket	Sum of Excess + Co Payment + Un-Insured fields
<<EpInsStatusID>>	Insurance Status ID	
<<EpInsStatus>>	Insurance Status	

Other Episode Information

Token Name	Data	Notes
<<Ep1stSym>>	Date of 1st Symptom	
<<Ep1stCon>>	Date of Consult for 1st Symptom	
<<EpCom>>	Compensable Status	
<<EpMotor>>	Motor Vehicle Accident	
<<EpOtherAcc>>	Other Accident	
<<EpVet>>	Veterans Claims	

<<EpStud>> Student Claim
 <<EpStudInst>> Student Institution

MBS / Other Services

Token Name	Data	Notes
<<MBSCode1>>	1st MBS Code	This is for the 1st visit to theatre
<<MBSDesc1>>	1st MBS Description	This is for the 1st visit to theatre
...		
<<MBSCode10>>	10th MBS Code	This is for the 1st visit to theatre
<<MBSDesc10>>	10th MBS Description	This is for the 1st visit to theatre
<<MBSDescS1>>	1st MBS Short Description	This is for the 1st visit to theatre
<<OSCode1>>	1st Other Service Code	
<<OSDesc1>>	1st Other Service Description	
...		
<<OSCode10>>	10th Other Service Code	
<<OSDesc10>>	10th Other Service Description	

ICD Codes and DRG

Token Name	Data	Notes
<<ICDDCode1>>	1st Diagnosis Code	
<<ICDDDesc1>>	1st Diagnosis Code Description	
...		
<<ICDDCode10>>	10th Diagnosis Code	
<<ICDDDesc10>>	10th Diagnosis Code Description	
<<ICDDcodes>>	Lists all ICD diagnosis codes sequentially, excluding the principal diagnosis	eg. code 2, code 3, code 4.....
<<ICDPCode1>>	1st Procedure Code	
<<ICDPDesc1>>	1st Procedure Code Description	
...		
<<ICDPCode10>>	10th Procedure Code	
<<ICDPDesc10>>	10th Procedure Code Description	
<<ICDPCodes>>	Lists all ICD procedure codes sequentially, excluding the principal procedure	eg. code 2, code 3, code 4.....
<<EpDRG>>	DRG Code	
<<EpDRGDesc>>	DRG Description	
<<EpGV>>	Group Version	
<<EpUnplan>>	Unplanned visit to theatre ID	

Claim Details

Token Name	Data	Notes
<<EpInjury>>	Injury	

<<EpInjuryDate>>	Injury Date	dd/mm/yyyy
<<EpClaimNo>>	Claim Number	
<<EpClaimInsID>>	Claim Biller ID	
<<EpClaimIns>>	Claim Biller Name	
<<EpClaimCon>>	Claim Biller Contact	
<<EpClaimInsAdd1>>	Claim Biller Address Line 1	
<<EpClaimInsAdd2>>	Claim Biller Address Line 2	
<<EpClaimInsAdd3>>	Claim Biller Address	
<<EpClaimInsSub>>	Claim Biller Suburb	
<<EpClaimInsPost>>	Claim Biller Post Code	
<<EpClaimInsState>>	Claim Biller State	
<<EpClaimEmpID>>	Claim Employer ID	
<<EpClaimEmp>>	Claim Employer Name	
<<EpClaimEmpCon>>	Claim Employer Contact	
<<EpClaimEmpAdd1>>	Claim Employer Address Line 1	
<<EpClaimEmpAdd2>>	Claim Employer Address Line 2	
<<EpClaimEmpAdd3>>	Claim Employer Address Line3	
<<EpClaimEmpSub>>	Claim Employer Suburb	
<<EpClaimEmpPost>>	Claim Employer Post Code	
<<EpClaimEmpState>>	Claim Employer State	

Theatre Screen

Token Name	Data	Notes
<<Visit>>	Theatre Visit	e.g Visit 1 or Visit 2 etc
<<VisitDate1>> ... <<VisitDate10>>	Theatre Date	dd/mm/yyyy
<<Pop>>	Pre Operation Time	e.g 1315
<<Pop12h>>	Pre Operation Time 12hr time	e.g. 1:15 PM
<<Pop24h>>	Pre Operation Time 24hr time	e.g. 13:15
<<AnaS1>> ... <<AnaS10>>	Anaesthetic Start Time	e.g 1315
<<AnaS112h>> ... <<AnaS1012h>>	Anaesthetic Start Time 12hr time	e.g. 1:15 PM
<<AnaS124h>> ... <<AnaS1024h>>	Anaesthetic Start Time 24hr time	e.g. 13:15
<<ProcS1>> ... <<ProcS10>>	Procedure Start Time	e.g 1315
<<ProcS112h>> ... <<ProcS1012h>>	Procedure Start Time 12hr time	e.g. 1:15 PM
<<ProcS124h>> ... <<ProcS1024h>>	Procedure Start Time 24hr time	e.g. 13:15
<<ProcF1>> ... <<ProcF10>>	Procedure Finish Time	e.g 1315
<<ProcF12h>> ... <<ProcF1012h>>	Procedure Finish Time 12hr time	e.g. 1:15 PM
<<ProcF124h>> ... <<ProcF1024h>>	Procedure Finish Time 24hr time	e.g. 13:15
<<TimeI1>> ... <<TimeI10>>	Time In Theatre	e.g 1315
<<TimeI112h>> ... <<TimeI1012h>>	Time In Theatre 12hr time	e.g. 1:15 PM
<<TimeI124h>> ... <<TimeI1024h>>	Time In Theatre 24hr time	e.g. 13:15
<<TimeO1>> ... <<TimeO10>>	Time out of Theatre	e.g 1315
<<TimeO112h>> ... <<TimeO1012h>>	Time out of Theatre 12hr time	e.g. 1:15 PM
<<TimeO124h>> ... <<TimeO1024h>>	Time out of Theatre 24hr time	e.g. 13:15

<<Scrub1>> ... <<Scrub10>>	Scrub Nurse	e.g. SAMPRAS, Pete
<<ScrubID1>> ... <<ScrubID10>>	Scrub Nurse ID	
<<NurAss1>> ... <<NurAss10>>	Nurse Assistant	e.g. SAMPRAS, Pete
<<NurAssID1>> ... <<NurAssID10>>	Nurse Assistant ID	
<<Scout1>> ... <<Scout10>>	Scout	e.g. SAMPRAS, Pete
<<ScoutID1>> ... <<ScoutID10>>	Scout ID	
<<OthNur1>> ... <<OthNur10>>	Other Nurse	e.g. SAMPRAS, Pete
<<OthNurID1>> ... <<OthNurID10>>	Other Nurse ID	
<<Other1>> ... <<Ostaff10>>	Other Staff	e.g. SAMPRAS, Pete
<<OtherID1>> ... <<OstaffID10>>	Other Staff ID	
<<SurgAssis1>> ... <<SurgAssis10>>	Surgical Assistant	e.g. SAMPRAS, Pete
<<SurgAssID1>> ... <<SurgAssID10>>	Surgical Assistant ID	
<<OthSurg1>> ... <<OthSurg10>>	Other Surgical Assistant	e.g. SAMPRAS, Pete
<<OthSurgID1>> ... <<OthSurgID10>>	Other Surgical Assistant ID	
<<Compli1>> ... <<Compli10>>	Complications	
<<Rec1>>	Recovery 1 Time	e.g. 1315
<<Rec112h>>	Recovery 1 Time 12hr time	e.g. 1:15 PM
<<Rec124h>>	Recovery 1 Time 24hr time	e.g. 13:15
<<Rec2>>	Recovery 2 Time	e.g. 1315
<<Rec212h>>	Recovery 2 Time 12hr time	e.g. 1:15 PM
<<Rec224h>>	Recovery 2 Time 24hr time	e.g. 13:15
<<Rec3>>	Recovery 3 Time	e.g. 1315
<<Rec312h>>	Recovery 3 Time 12hr time	e.g. 1:15 PM
<<Rec324h>>	Recovery 3 Time 24hr time	e.g. 13:15
<<Ready>>	Ready for Ward	e.g. 1315
<<Ready12h>>	Ready for Ward 12hr time	e.g. 1:15 PM
<<Ready24h>>	Ready for Ward 24hr time	e.g. 13:15
<<ReadyPU>>	Ready for Pick Up	e.g. 1315
<<ReadyPU12h>>	Ready for Pick Up 12hr time	e.g. 1:15 PM
<<ReadyPU24h>>	Ready for Pick Up 24hr time	e.g. 13:15
<<Side>>	Side	
<<Path>>	Pathology Company	
<<Specimen>>	Pathology Nil or # of Specimens	
<<TheatreNotes>>	Theatre Notes	

Admission Screen - PHDB/HCP

Token Name	Data	Notes
<<RADesc>>	Re-Admission	e.g. description
<<RA>>	Re-Admission ID	e.g. the ID the value saved in the db
<<StartDay>>	Starting Day	
<<TranFDesc>>	Transferred From	
<<TranF>>	Transferred From ID	
<<DIDesc>>	Discharge Intent	

<<DI>> Discharge Intent ID
 <<UOADesc>> Urgency of Admission
 <<UOA>> Urgency of Admission ID
 <<SORDesc>> Source of Referral
 <<SOR>> Source of Referral ID
 <<CTDesc>> Care Type
 <<CT>> Care Type ID
 <<RSDesc>> Rehab Status
 <<RS>> Rehab Status ID
 <<SDSDesc>> Same Day Status
 <<SDS>> Same Day Status ID
 <<PIDesc>> Payer Identifier
 <<PI>> Payer Identifier ID
 <<IHCPDesc>> IHCP
 <<IHCP>> IHCP ID
 <<AWei>> Adm Weight
 <<AmbNum>> Ambulance Number

Admission Screen - State fields

Token name	Data	Notes
<<CTSDesc>>	Care Type	e.g. description
<<CTS>>	Care Type ID	e.g. the ID the value saved in the db
<<SRSDesc>>	Source of referral	
<<SRS>>	Source of referral ID	
<<ILOSSDesc>>	Intended Length of Stay Planned Same Day (QLD)	
<<ILOSS>>	Intended Length of Stay Planned Same Day (QLD) ID	
<<ASSDesc>>	Admission Status	
<<ASS>>	Admission Status ID	
<<ISSDesc>>	Insurance Status	
<<ISS>>	Insurance Status ID	
<<CTYSDesc>>	Contract Type	
<<CTYS>>	Contract Type ID	
<<CRSDesc>>	Contract Role	
<<CRS>>	Contract Role ID	
<<ESSDesc>>	Election Status	
<<ESS>>	Election Status ID	
<<ATSDesc>>	Admission Type	
<<ATS>>	Admission Type ID	
<<UPRADesc>>	Unplanned Readmission	
<<UPRA>>	Unplanned Readmission ID	
<<UOASDesc>>	Urgency of Admission	
<<UOAS>>	Urgency of Admission ID	

<<EPSSDesc>> Elective Patient Status
 <<EPSS>> Elective Patient Status ID
 <<RASDesc>> Re-Admission
 <<RAS>> Re-Admission ID
 <<DISDesc>> Discharge Intent
 <<DIS>> Discharge Intent ID
 <<LSSDesc>> Legal Status
 <<LSS>> Legal Status ID
 <<CSSDesc>> Contract Status
 <<CSS>> Contract Status ID
 <<PTDesc>> Previous Treatment
 <<PT>> Previous Treatment ID
 <<MOASDesc>> Mode of Admission
 <<MOAS>> Mode of Admission ID
 <<AACDesc>> Account Class
 <<AAC>> Account Class ID
 <<AATDesc>> Accommodation Type
 <<AAT>> Accommodation Type ID
 <<ASDesc>> Admission Source
 <<AS>> Admission Source ID
 <<CFADesc>> Criterion for Admission
 <<CFA>> Criterion for Admission ID
 <<CSIDesc>> Contract/Spoke Identifier
 <<CSI>> Contract/Spoke Identifier ID
 <<PCSDesc>> Patient Category
 <<PCS>> Patient Category ID
 <<SORPDesc>> Source Of Referral - Professional
 <<SORP>> Source Of Referral - Professional ID
 <<SORLDesc>> Source Of Referral - Location
 <<SORL>> Source Of Referral - Location ID
 <<SORTDesc>> Source Of Referral - Transport
 <<SORT>> Source Of Referral - Transport ID
 <<CHSDesc>> Contracted Hospital
 <<CHS>> Contracted Hospital ID

Discharge Screen - PHDB/HCP

Token name	Data	Notes
<<MOSDesc>>	Mode of Separation	
<<MOS>>	Mode of Separation ID	
<<TranTDesc>>	Transferred To	
<<TranT>>	Transferred To Desc	
<<TOCDesc>>	Transfer Out Code	
<<TOC>>	Transfer Out Code ID	

<<VTODesc>>	Visit to Theatre	
<<VTO>>	Visit to Theatre ID	
<<PCDesc>>	Palliative Care	
<<PC>>	Palliative Care ID	
<<PCD>>	Days In Palliative Care	
<<MHLSDesc>>	Mental Health Legal Status	
<<MHLS>>	Mental Health Legal Status ID	
<<WTPI>>	Was the patient involuntary?	Show as Y, N
<<ID>>	Involuntary Days	
<<ICUD>>	Days in ICU	
<<ICUH>>	Hrs in ICU	
<<MVH>>	Hrs in Mechanical Ventilation	
<<DiedDate>>	Deceased Date	dd/mm/yyyy
<<DiedTime>>	Deceased Time (raw)	e.g for 1:30 PM show as: 1330
<<DiedT12h>>	Deceased Time 12 hr	e.g for 1:30 PM show as: 01:30 PM
<<DiedT24h>>	Deceased Time 24 hr	e.g for 1:30 PM show as 13:30
<<Autopsy>>	Autopsy	Show as: Y, N
<<DiedCause>>	Cause of Death	
<<HITHV>>	HITH Visits	

Discharge Screen - State

Token name	Data	Notes
<<MOSS>>	Mode of Separation ID	e.g. the ID the value saved in the db
<<MOSSDesc>>	Mode of Separation	e.g. description
<<FSS>>	Funding Source/Arrangement ID	
<<FSSDesc>>	Funding Source/Arrangement	
<<RTS>>	Referral To ID Separation Referral (VIC)	
<<RTSDesc>>	Referral To Separation Referral (VIC)	
<<MHLSS>>	Mental Health Legal Status ID	
<<MHLSSDesc>>	Mental Health Legal Status	
<<Char>>	Chargeable Status ID	
<<CharDesc>>	Chargeable Status	
<<Comp>>	Compensable Status ID	
<<CompDesc>>	Compensable Status	
<<PC1A>>	Palliative care - 1 st admission ID	
<<PC1ADesc>>	Palliative care - 1 st admission	
<<PCPA>>	Palliative Care - previous admission ID	
<<PCPADesc>>	Palliative Care - previous admission	
<<AOS>>	Accommodation Occupied ID	

<<AOSDesc>>	Accommodation Occupied
<<Client>>	Client Status ID
<<ClientDesc>>	Client Status
<<CES>>	Contracting Establishment ID
<<CESDesc>>	Contracting Establishment
<<PSS>>	Payment Status ID
<<PSSDesc>>	Payment Status
<<ITRAS>>	Intent to Readmit ID
<<ITRASDesc>>	Intent to Readmit
<<DAC>>	Account Class ID
<<DACDesc>>	Account Class
<<DAT>>	Accommodation Type ID
<<DATDesc>>	Accommodation Type